## **CIVIL AIRCRAFT LANDING PERMIT**

Read Privacy Act Statement on back before completing this form. If additional space is required, continue on back identifying by item number.

Form Approved OMB No. 0701-0050 Expires Apr 30, 2007

The public reporting burden for this collection of information is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0701-0050). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB

of information, including sugge that notwithstanding any othe control number.	r provision of	lucing the burden, law, no person sh	to the Depart hall be subjec	t to any pen	alty for failing to	comply with a c	munication offection	of inform	orate (0) lation if	it does n	J). Hespo ot displa	ondents:	should be ently vali	aware d OMB
PLEASE DO NOT RETU	RN YOUR	FORM TO TH	E ABOVE	ORGANIZ	ATION. SENI	D COMPLET	ED FOR	м то	THE A	DDRES	SS IN I	NOTE 2	2 ON B	ACK.
SECTION I - INFORMA	TION REQ	UIRED FROM (	JSER			_								
Permission is requested a. Except for weather emergencies, I or my as installation commander to each landing for finations. The remarks sect will include user name identification number.  b. When required, I or diplomatic or overflight operating over internation.	alternate u gent will o at least 2 I clearance tion of the and permi my agent clearance	use or contact each 4 hours prior e instruc- flight plan t will obtain	c. Com may rest preclude activities d. This i	nmanders of trict civil a interferent s or to pro permit doe aft to rece rvices fron	derstood and of military insinguistraft operations with militated tect national as not necessive aviation for U.S. Govern	tallations ions to ary security. arily entitle uel, oil, or	e. On- activit with t f. Us- indica and is g. Ar aboard	his per e is lim ted, pu not tr appro d each	cept formit.  mited to urpose ansfers oved co	o the list stated able. opy of	oses d sted ai l, and d this pe g the r	rcraft, conditi ermit m nilitary	period ons sho nust be	own,
1. USER							2. N	AME O	F AIRF	IELD(S	S) TO E	BE USE	:D	
a. NAME			c. ADDRI	ESS (Street	, City, State, Z	ip Code)	All A	AF C	ONUS	S, AK,	HI			
CIVIL AIR PATROL					NSELL STR B, AL 36112									
b. RELATIONSHIP TO PA	RENT ORGA	ANIZATION									_			
(If any)			1					RE PILO				one)	×	YES NO
4. PURPOSE OF USE		<del></del>				<del></del>								
For Civil Air Patrol S Civil Air Patrol aircra AIRCRAFT MANUFACTURER Beech BLANIK CESSNA	MOI MOI A A L L 17	orized under DEL 36 45 13 23 22 2,185		5001 and			er offic EW		vil Aii PA CAP	r Patro	ol busi	mess. MA OFF 3 2 1 1 2	XX TA: F WEIG, 600, 750, 500, 500, 550, 3,100, 3,600	KE-
5. AIRCRAFT DATA				-										
				4 C	APACITY	e. MAX				f. EQU	IPMEN1			
a. MANUFACTURE	b. MODEL	c. REGISTE NUMB		(1)	(2)	GROSS TAKE-OFF WEIGHT	(1) TW		(2) ST WAR LIGI	NING		RANS- IDER	(4) IFR BILI	CAPA TIES
				CREW	PASSENGER	(Pounds)	YES	NO	YES	NO	YES '	NO	YES	NO
See Blk 4. & reverse														
										<del>-</del>				
CERTIFICATION BY     Applicant and age     Note 1 and local s     the information co     certify that I have     commander as ou	ents have suppleme ontained authorit ar agent c	read, unders ints, directive in this permi y to certify the on all matters	stand, an es, and o t is true t his inforn	d will co rders. So to the bes nation or from the	mply with a uch complia st of my kno behalf of tl use of this p	Il pertinent nce is an e owledge an he corporat permit.	xpress id belie tion an	condi f. As d here	ition o a cor	of this porate	perm e repr	it. I c esenta aircra	ertify ative, I aft	l 
a. TYPED NAME (Last, Fi Initial)	irst, Middle	EXECUTIVE	'E	c. TELEPH	łONE NO. e Area Code)	d. SIGNATU	JRE (Blue <b>c</b>	ر ـ `			0		TE SIGN	

334-953-6047

DD FORM 2401, AUG 2004 PREVIOUS EDITION IS OBSOLETE.

DIRECTOR

ROWLAND, DON R.

a. DD FORM 2400 (Dated and Filed) b. DD FORM 2402 (Dated and Filed)  14. APPROVING OFFICIAL  a. TYPED OR STAMPED NAME, TITLE AND ORGANIZATION  b. SIGNATURE  c. DATE SIGNED (YYYYMMDD)  IF ADDITIONAL SPACE IS REQUIRED, CONTINUE HERE (Refer to item number)  Continuation from Block 5. Aircraft Data:  CREW PAX MAX TAKE  MANUFACTURER MODEL REG# COUNTRY CAPACITY CAPACITY OFF WEIGH  DeHAVILLAND DHC-2 * USA 1 5 5,100  GIPPSLAND GA8 * USA 1 7 4,000  MAULE M7,MT7 * USA 1 3 2,300  PIPER PA-23,-28,-32 * USA 1 5 3,600  PARTENAVIA P68TC * USA 1 5 3,600  PARTENAVIA P68TC * USA 1 5 4,387  SCHWIEZER 1-26B, 1-26C * USA 1 5 4,387  SCHWIEZER 1-26B, 1-26C * USA 1 1 1,430  2-33 * USA 1 1 1,430  2-33 * USA 1 1 1,040  SCHLEICHER ASK-21 * USA 1 1 1,040  NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR		TO (YYYYMMDD)							
This permit is granted on Phior Execution of DD Forms 2400 And 2402   For Fuel Issues (x one)   Fees (x one)   Pees (x one)							PERMIT N	O. (Identification No.)	
14. APPROVING OFFICIAL   a. TYPED OR STAMPED NAME, TITLE AND ORGANIZATION   b. SIGNATURE   c. DATE SIGNED (YYYYYMMDD)		TED ON PRIOR EXECU	UTION OF DD FOI	RMS 2400 AND :	2402			13. LANDING FEES (X one)	
14. APPROVING OFFICIAL  a. TYPED OR STAMPED NAME, TITLE AND ORGANIZATION    IF ADDITIONAL SPACE IS REQUIRED, CONTINUE HERE (Refer to item number)	a. DD FORM 2400 (Dated and	d Filed)	b. DD FORM 2402	(Dated and Filed)		<del> </del>			
C. Date Signed (YYYYMMDD)	14. APPROVING OFFICIAL								
Continuation from Block 5. Aircraft Data:   CREW   PAX   MAX TAKE	a. TYPED OR STAMPED NAM	IE, TITLE AND ORGANIZ	ATION	t	. SIGNAT	URE			
Continuation from Block 5. Aircraft Data:   CREW   PAX   MAX TAKE									
MANUFACTURER         MODEL         REG#         COUNTRY         CAPACITY         CAPACITY         OFF WEIGH           DeHAVILLAND         DHC-2         *         USA         1         5         5,100           GIPPSLAND         GA8         *         USA         1         7         4,000           MAULE         M7,MT7         *         USA         1         3         2,300           PIPER         PA-23,-28,-32         *         USA         1         5         3,600           PARTENAVIA         P68TC         *         USA         1         5         4,387           SCHWIEZER         1-26B, 1-26C         *         USA         1         -         700           1-34, 2-22         *         USA         1         1         1,430           2-33         *         USA         1         1         1,040           SCHLEICHER         ASK-21         *         USA         1         1         1,200    NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR				•	DATE SI	GNED (YYYYMM	DD)		
MANUFACTURER         MODEL         REG#         COUNTRY         CAPACITY         CAPACITY         OFF WEIGH           DeHAVILLAND         DHC-2         *         USA         1         5         5,100           GIPPSLAND         GA8         *         USA         1         7         4,000           MAULE         M7,MT7         *         USA         1         3         2,300           PIPER         PA-23,-28,-32         *         USA         1         5         3,600           PARTENAVIA         P68TC         *         USA         1         5         4,387           SCHWIEZER         1-26B, 1-26C         *         USA         1         -         700           1-34, 2-22         *         USA         1         1         1,430           2-33         *         USA         1         1         1,040           SCHLEICHER         ASK-21         *         USA         1         1         1,200    NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	IF ADDITIONAL SPACE IS I	REQUIRED, CONTINU	E HERE (Refer to	item number)					
MANUFACTURER         MODEL         REG#         COUNTRY         CAPACITY         CAPACITY         OFF WEIGH           DeHAVILLAND         DHC-2         *         USA         1         5         5,100           GIPPSLAND         GA8         *         USA         1         7         4,000           MAULE         M7,MT7         *         USA         1         3         2,300           PIPER         PA-23,-28,-32         *         USA         1         5         3,600           PARTENAVIA         P68TC         *         USA         1         5         4,387           SCHWIEZER         1-26B, 1-26C         *         USA         1         -         700           1-34, 2-22         *         USA         1         1         1,430           2-33         *         USA         1         1         1,040           SCHLEICHER         ASK-21         *         USA         1         1         1,200    NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	Continuation from Bloc	k 5. Aircraft Data:				CREW	PAX	MAX TAKE-	
GIPPSLAND  GA8  *  USA  I  7  4,000  MAULE  M7,MT7  *  USA  I  3  2,300  PIPER  PA-23,-28,-32  USA  I  5  3,600  PARTENAVIA  P68TC  USA  I  5  4,387  SCHWIEZER  1-26B, 1-26C  USA  I  1  1  1,430  2-33  *  USA  I  1  1  1,040  SCHLEICHER  ASK-21  *  USA  I  I  I  I  I  I  I  I  I  I  I  I  I			REG#	COUNTR	Y CA	APACITY	CAPACITY	OFF WEIGHT	
MAULE       M7,MT7       *       USA       1       3       2,300         PIPER       PA-23,-28,-32       *       USA       1       5       3,600         PARTENAVIA       P68TC       *       USA       1       5       4,387         SCHWIEZER       1-26B, 1-26C       *       USA       1       -       700         1-34, 2-22       *       USA       1       1       1,430         2-33       *       USA       1       1       1,040         SCHLEICHER       ASK-21       *       USA       1       1       1,200         NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	DeHAVILLAND	DHC-2	*	USA		1 5			
MAULE       M7,MT7       *       USA       1       3       2,300         PIPER       PA-23,-28,-32       *       USA       1       5       3,600         PARTENAVIA       P68TC       *       USA       1       5       4,387         SCHWIEZER       1-26B, 1-26C       *       USA       1       -       700         1-34, 2-22       *       USA       1       1       1,430         2-33       *       USA       1       1       1,040         SCHLEICHER       ASK-21       *       USA       1       1       1,200         NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	GIPPSLAND	GA8	*	USA		1	7		
PIPER       PA-23,-28,-32       *       USA       I       5       3,600         PARTENAVIA       P68TC       *       USA       I       5       4,387         SCHWIEZER       1-26B, 1-26C       *       USA       I       -       700         1-34, 2-22       *       USA       I       I       1,430         2-33       *       USA       I       I       1,040         SCHLEICHER       ASK-21       *       USA       I       I       1,200         NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	MAULE	M7,MT7	*	USA		1	3	•	
PARTENAVIA         P68TC         *         USA         1         5         4,387           SCHWIEZER         1-26B, 1-26C         *         USA         1         -         700           1-34, 2-22         *         USA         1         1         1,430           2-33         *         USA         1         1         1,040           SCHLEICHER         ASK-21         *         USA         1         1         1,200           NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	PIPER	,	*			1		,	
SCHWIEZER       1-26B, 1-26C       *       USA       1       -       700         1-34, 2-22       *       USA       1       1       1,430         2-33       *       USA       1       1       1,040         SCHLEICHER       ASK-21       *       USA       1       1       1,200    NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	PARTENAVIA			USA		1	5	*	
1-34, 2-22 * USA 1 1 1,430 2-33 * USA 1 1 1 1,040 SCHLEICHER ASK-21 * USA 1 1 1 1,040 NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR	SCHWIEZER	1-26B, 1-26C	*			1	-		
SCHLEICHER  2-33  * USA 1 1 1,040 SCHLEICHER  ASK-21  * USA 1 1 1,040  NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR		· ·	*			1	1	1.430	
SCHLEICHER ASK-21 * USA 1 1 1,200  NOTE: All Civil Air Patrol Aircraft are equipped with (1) two-way radio, (2) strobe warning lights, (3)transponder, and (4) IFR		,	*			1	1		
	SCHLEICHER	ASK-21	*			1	1		
capabilities.	NOTE: All Civil Air Patr capabilities.	rol Aircraft are equip	oped with (1) tw	ro-way radio, (2)	) strobe w	varning lights,	(3)transponder,	and (4) IFR	

ARMY	NAVY _	AIR FORCE			
NOTE 1  AR 95-2  Can be viewed at: http://books.army.mil/ cgi-bin/bookmgr/Shelves	SECNAVINST 3770.1C Can be viewed at: http://neds.nebt.daps.mil/ Directives/dirindex.html	AFI 10-1001 Can be viewed at: http://afpubs.hq.af.mil			
NOTE 2 DIRECTOR USAASA, ATTN: ATAS-AS BLDG 1466 9325 GUNSTON RD, SUITE N319 FT BELVOIR, VA 22060-5582 (703) 806-4864	COMMANDER NAVAL FACILITIES ENGINEERING COMMAND CODE: REAT WASHINGTON NAVY YARD 1322 PATTERSON AVE. S.E., SUITE 1000 WASHINGTON, DC 20374-5065 (202)685-9202	HQ USAF/XOO-CA 1480 AIR FORCE PENTAGON RM 4D1010 WASHINGTON, DC 20330-1480 (703) 697-5967			

## PRIVACY ACT STATEMENT

AUTHORITY: 49 U.S. Code, Section 44502(d).

PRINCIPAL PURPOSE(S): When partially completed, indicates desire of an individual or corporation to operate civil aircraft into a military airfield; when validated by a military approving authority, grants an individual or corporation permission to land civil aircraft at a military airfield.

ROUTINE USE(S): None.

**DISCLOSURE:** Voluntary; however, failure to provide this information will result in an individual or corporation being unable to operate civil aircraft into a military airfield.

DD FORM 2401 (BACK), AUG 2004

SECTION II - FOR USE	BY APPROVING AUTI	HORITY	_	,		·		
7. PERIOD OF USE 8. FREQUENCY OF USE 9			9. IDENT	9. IDENTIFICATION NO.   10. THIS PERMIT SI				
a. FROM (YYYYMMDD) 2005/12/02	b. TO (YYYYMMDD) 2007/01/12	AS REQUIRED ASA-				NO. (Identification No.) N-12-05-005		
11. THIS PERMIT IS G	RANTED ON PRIOR EX	ECUTION OF DD FORMS 2400 A	ND 2402	12. CREDIT AU FOR FUEL	ITHORIZED ISSUES (X one)	13. LANDING FEES (X one)		
a. DD FORM 2400 (Dated	,	b. DD FORM 2402 (Dated and Filed)		YES		YES		
2003	5/07/21	2005/11/29	NO		X NO			
14. APPROVING OFFI	CIAL			<u> </u>		<u> </u>		
a. TYPED OR STAMPED NAME, TITLE AND ORGANIZATION			b. SIGNAT	ŲRE				
RICHARD W. EVA Operations Officer	NS, CW5		ad	WIZ				
(703) 806-0686			c. DATE S	IGNED (YYYYMMD	,			
U.S. Army Aeronautical Services Agency			2005/12/02					

IF ADDITIONAL SPACE IS REQUIRED, CONTINUE HERE (Refer to item number)

Approval of this Civil Aircraft Landing Permit at the Army level does not guarantee you will always have access to an Army Airfield listed on your permit. You are required to coordinate with the airfield to obtain prior permission each time you need to use an airfield. The airfield command may have operations or classified missions occurring which may not be compatible with your use of the airfield. The Airfield Commander is the final authority on your use, and occasionally you may not recieve an explanation as to why you have been denied use. See section I, a through g on the front of the form.

Block 13 - Landing fees may be charged at any Army airfield.

This Civil Aircraft Landing Permit becomes invalid at 0001 hours on the date listed in block 7b or at the instant the aircraft insurance becomes invalid for any reason.

A Civil Aircraft Hold Harmless Agreement, DD Form 2402, is in effect when using this permit and the pilot-in-command and occupants of the aircraft should be aware of the liablilty limits placed on the US government by the Hold Harmless Agreement.

ARMY	NAVY	AIR FORCE
NOTE 1 AR 95-2 Can be viewed at: http://books.army.mil/ cgi-bin/bookmgr/Shelves	SECNAVINST 3770.1C Can be viewed at: http://neds.nebt.daps.mil/ Directives/dirindex.html	AFI 10-1001 Can be viewed at: http://afpubs.hq.af.mil
DIRECTOR USAASA, ATTN: ATAS-AS BLDG 1466 9325 GUNSTON RD, SUITE N319 FT BELVOIR, VA 22060-5582 (703) 806-4864	COMMANDER NAVAL FACILITIES ENGINEERING COMMAND CODE: REAT WASHINGTON NAVY YARD 1322 PATTERSON AVE. S.E., SUITE 1000 WASHINGTON, DC 20374-5065 (202)685-9202	HQ USAF/XOO-CA 1480 AIR FORCE PENTAGON RM 4D1010 WASHINGTON, DC 20330-1480 (703) 697-5967

## PRIVACY ACT STATEMENT

AUTHORITY: 49 U.S. Code, Section 44502(d).

**PRINCIPAL PURPOSE(S):** When partially completed, indicates desire of an individual or corporation to operate civil aircraft into a military airfield; when validated by a military approving authority, grants an individual or corporation permission to land civil aircraft at a military airfield.

ROUTINE USE(S): None.

**DISCLOSURE:** Voluntary; however, failure to provide this information will result in an individual or corporation being unable to operate civil aircraft into a military airfield.